

Pick RM, Mc Culum Y, Kaminsky EJ

J. Periodont. 56:492-496, 1985

**Wound healing is accelerated by the  
sterilization of operating field, and swelling,  
wound contraction, and post-operative pain  
occurs only to a limited extent.**

# VIII. Prognosis

---

good

# Potential Treatment Problems

1. Physiologic condition:OK
2. Psychologic condition:OK  
Dental Anxiety;no
3. ~~Dental I. Q.~~:OK
4. Availability:OK
5. Finacial condition:**limited**
6. Others :no

# About The Patient

---

1. Availability:OK
2. Financial status: limited
3. Psycho-social status:OK
4. Esthetic expectation: reasonable
5. Chewing function:OK
6. Individual tooth  
problem:unesthetic ant. crowns

# IX. Treatment Planning

---

# Treatment Planning

## Phase I

1. Consultation & motivation
2. OHI (Plaque control)
3. Perio initial therapy

Scaling + Root Planing + Lasing

德軒牙醫診所

Phase II:#s12,11,21,22 gingivoplasty with  
Lasersmile,#s11,21,22 provisional crowns fabrication

Phase III:#12 ceramic laminate,#s11,21,22 PFM

Phase IV     Maintenance & 6-month recall

# X. Treatment Procedures

---

**Treatment Procedures :**

1. 2002.07.03

    Data collection , case presentation & OHI

2. 2002.07.09

    Full mouth Scaling,**#s12,11,21,22 de-epithelium with Lasersmile**

3. 2002.07.13

**#s12,11,21,22 Gingivoplasty with Lasersmile**

4. 2002.07.20

**#s11,21,22 Prep & Imp for PROV**


---

5. 2002.07.23

**#s11,21,22 PROV insertion ; #s34,33,32,31,41,42,43,44 power bleach  
with Lasersmile**

6. 2002.11.08

**#s11,21,22 Prep & Imp for porcelain crowns ,#12 for veneer**



# De-epithelium



# Gingivoplasty with water spray

